

گردد ۲۰) ضخامت به استناد استاندارد های پایه حفاظت در برابر اشعه، انجام آزمایش های رادیولوژیکی به منظور مقاصد بیمه ای بدون توجه به نشانه های بالینی قابل توجهی نم ی باشد و نیز گرافی مجدد از دندان ها پس از اقدامات [۷] ترمیمی و نظایر آن ممنوع است

References :

1. Javadzadeh A, Alipour H. Knowledge of general dentists about radiation protection in oral radiographic examinations in the city of Rasht-Iran in 2009. J Mashhad Dent Sch. 2011;35(1):23-32.
2. Memon A, Rogers I, Paudyal P, Sundin J. Dental X-Rays and the Risk of Thyroid Cancer and Meningioma: A Systematic Review and Meta-Analysis of Current Epidemiological Evidence. Thyroid. 2019;29(11):157293. doi: 10.1089/thy.2019.0105 pmid: 31502516
3. Memon A, Godward S, Williams D, Siddique I, Al-Saleh K. Dental x-rays and the risk of thyroid cancer: a casecontrol study. Acta Oncol. 2010;49(4):447-53. doi: 10.3109/02841861003705778 pmid: 20397774
4. Hwang SY, Choi ES, Kim YS, Gim BE, Ha M, Kim HY. Health effects from exposure to dental diagnostic X-ray. Environ Health Toxicol. 2018;33(4):e2018017. doi: 10.5620/eh.t.e2018017 pmid: 30661338
5. Hye Lim L, Hyun Yung K, Hyung Wook C, Hye-Mi L, Chang Seon L. The Effect of a Thyroid Shield Made of a Tissue-Equivalent Material on the Reduction of the Thyroid Exposure Does in Panoramic Radiography. Journal of Korea Academia-Industrial Cooperation society. J Korea Acad Ind Cooperat soc. 2012;13(5):2278-84.
6. Wikipedia: The Free Encyclopedia [updated 2020; cited 2020]. Available from: <https://www.wikipedia.org>
7. Iran Atomic Energy Organization 2020 [updated 2020; cited 2019]. Available from: www.aeoi.org.ir. Proof

